

ZS4000 Specs & Compare

▲ ZS4000 Key Specifications

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Mower Deck

DuraDeck Cutting System

AirFX Cutting System

AirFX Cutting System

AirFX Cutting System

Cutting Height Range

1.5-4.5

1.5-4.5

1.5-4.5

1.5-4.5

Width

36 in

Engine Model

Kaw FX600V

Kaw FX651V

Kaw FT730 EFI

Kaw FT730 EFI

Transmission Type

HG ZT-3100 Hydrostatic
Transaxles

HG ZT-3400 Hydrostatic
Transaxles

HG ZT-3400 Hydrostatic
Transaxles

HG ZT-3400 Hydrostatic
Transaxles

▲ Deck

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Cutting Height Range

1.5-4.5

1.5-4.5

1.5-4.5

1.5-4.5

Mower Deck

DuraDeck Cutting System

AirFX Cutting System

AirFX Cutting System

AirFX Cutting System

Mower Blade Tip Speed

17600 ft/min

17800 ft/min

18586 ft/min

18500 ft/min

Width

36 in

▲ **Engine**

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Engine Model

Kaw FX600V

Kaw FX651V

Kaw FT730 EFI

Kaw FT730 EFI

Horsepower

19 hp

20.5 hp

26 hp

26 hp

Fuel Tank

5.1 gal

6.5 gal

6.5 gal

6.5 gal

▲ **Performance**

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Machine Weight

800 lbs

961 lbs

991 lbs

1028 lbs

▼ Power/Electrical

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Charging System

15 amp

15 amp

15 amp

15 amp

Clutch

125 ft-lb

200 ft-lb

200 ft-lb

200 ft-lb

▲ Transmission

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Transmission Type

**HG ZT-3100 Hydrostatic
Transaxles**

**HG ZT-3400 Hydrostatic
Transaxles**

**HG ZT-3400 Hydrostatic
Transaxles**

**HG ZT-3400 Hydrostatic
Transaxles**

Travel Speed

9 mph

10.5 mph

10.5 mph

10.5 mph

Travel Speed - Reverse

3.5 mph

3.5 mph

3.5 mph

3.5 mph

▲ Wheels

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Drive Wheel Size

20 x 8.0-10

23 x 8.5-12

23 x 10.5-12

23 x 10.5-12

Front Caster Wheel Size

11 x 6.0-5

13 x 6.5-6

13 x 6.5-6

13 x 6.5-6

▲ Frame

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Length

64 in

▲ Seat

ZS4000 - 36" Deck

ZS4000 - 48" Deck

ZS4000 - 52" Deck

ZS4000 - 61" Deck

Seat

Operator Pad - tethered,
removable

Operator Pad - tethered,
removable

Operator Pad - tethered,
removable