

ZT2000 Specs

▲ ZT2000 Key Specifications

ZT2000 - 42" Deck

Mower Deck

TufDeck 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

Cutting Height Range

1.5-4.6" (38-127 mm)

Width

42 in

Engine Model

Kaw FR651V

Pump Displacement

cubic in

Transmission Type

HG ZT-2800 Hydrostatic Transaxles

ZT2000 - 48" Deck

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

1.5-4.875

48 in

Kaw FR651V

cubic in

HG ZT-3100 Hydrostatic Transaxles

ZT2000 - 52" Deck

TufDeck 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

1.5-4.875

52 in

Kaw FR651V

cubic in

HG ZT-2800 Hydrostatic Transaxles

▼ Deck

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Cutting Height Range

1.5-4.6" (38-127 mm)

1.5-4.875

1.5-4.875

Mower Deck

TufDeck 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

TufDeck 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

Mower Blade Tip Speed

18809 ft/min

17365 ft/min

18142 ft/min

Width

42 in

48 in

52 in

▼ Engine

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Engine Model

Kaw FR651V

Kaw FR651V

Kaw FR651V

Horsepower

21.5 hp

20 hp

21.5 hp

Fuel Tank

3.8 gal

3.8 gal

3.8 gal

▼ Performance

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Machine Weight

684 lbs

758 lbs

752 lbs

▼ **Power/Electrical**

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Charging System

15 amp

15 amp

15 amp

Clutch

105 ft-lb

125 ft-lb

105 ft-lb

▼ **Transmission**

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Transmission Type

HG ZT-2800 Hydrostatic Transaxles

HG ZT-3100 Hydrostatic Transaxles

HG ZT-2800 Hydrostatic Transaxles

Pump Displacement

cubic in

cubic in

cubic in

Oil Capacity

4 qt

4 qt

4 qt

Travel Speed

7 mph

8 mph

7 mph

Travel Speed - Reverse

3 mph

3.5 mph

3 mph

▼ **Wheels**

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Drive Wheel Size

20 x 8.0-10

22 x 10.0-10

20 x 10.0-10

Caster Arm Attachment

Welded to Frame

Welded to Frame

Welded to Frame

Front Caster Wheel Size

11 x 6.0-5

13 x 6.5-6

13 x 5.0-6

▼ **Frame**

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Length

80.5 in

76 in

76 in

▼ **Seat**

ZT2000 - 42" Deck

ZT2000 - 48" Deck

ZT2000 - 52" Deck

Seat

High-Back, Spring Suspension Seat

High-Back, Spring Suspension Seat

High-Back, Spring Suspension Seat

Fore-Aft Adjustment

Seat Slide Lever

Seat Slide Lever

Seat Slide Lever