

ZT3000 Specs & Compare

▲ ZT3000 Key Specifications

ZT3000 - 48" Deck

Mower Deck

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

Cutting Height Range

1.5-4.9" (38-124mm)

Width

48 in

Engine Model

Kaw FT651V

Transmission Type

HG ZT-3100 Hydrostatic Transaxles

ZT3000 - 52" Deck

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

1.5-4.9" (38-124mm)

52 in

Kaw FT691V

HG ZT-3100 Hydrostatic Transaxles

ZT3000 - 61" Deck

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

1.5-4.9" (38-124mm)

61 in

Kaw FT730V

HG ZT-3100 Hydrostatic Transaxles

▼ Deck

ZT3000 - 48" Deck

Cutting Height Range

1.5-4.9" (38-124mm)

ZT3000 - 52" Deck

1.5-4.9" (38-124mm)

ZT3000 - 61" Deck

1.5-4.9" (38-124mm)

Mower Deck

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

TufDeck Pro10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

TufDeck Pro 10-gauge Top with 7-gauge Spindle Supports; 7-gauge Side Skirts

Mower Blade Tip Speed

17365 ft/min

18142 ft/min

18809 ft/min

Width

48 in

52 in

61 in

▼ Engine

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Engine Model

Kaw FT651V

Kaw FT691V

Kaw FT730V

Horsepower

20 hp

22 hp

24 hp

Fuel Tank

3.8 gal

3.8 gal

3.8 gal

▼ Performance

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Machine Weight

758 lbs

774 lbs

817 lbs

▼ **Power/Electrical**

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Charging System

15 amp

15 amp

15 amp

Clutch

125 ft-lb

125 ft-lb

125 ft-lb

▼ **Transmission**

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Transmission Type

HG ZT-3100 Hydrostatic Transaxles

HG ZT-3100 Hydrostatic Transaxles

HG ZT-3100 Hydrostatic Transaxles

Oil Capacity

4 qt

4 qt

4 qt

Travel Speed

8 mph

8 mph

8 mph

Travel Speed - Reverse

3.5 mph

3.5 mph

3.5 mph

▼ **Wheels**

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Drive Wheel Size

22 x 11.0-10

22 x 11.0-10

22 x 11.0-10

Caster Arm Attachment

Welded to Frame

Welded to Frame

Welded to Frame

Front Caster Wheel Size

13 x 6.5-6

13 x 6.5-6

13 x 6.5-6

▼ Frame

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Length

76 in

80 in

81.9 in

▼ Seat

ZT3000 - 48" Deck

ZT3000 - 52" Deck

ZT3000 - 61" Deck

Seat

High-Back, Spring Suspension Seat

High-Back, Spring Suspension Seat

High-Back, Spring Suspension Seat

Fore-Aft Adjustment

Seat Slide Lever

Seat Slide Lever

Seat Slide Lever